

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"6606041".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 12:16
L3	520	zerbe-j\$.in. or chau-p\$.in. or stonecypher-w\$.in. or rambus.as.	US-PGPUB; USPAT	OR	ON	2005/12/15 12:16
L4	5	L3 and (repeat\$3 adj pattern).clm.	US-PGPUB; USPAT	OR	ON	2005/12/15 12:16
L6	1	"5742798".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 12:18
L7	1	"6339387".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 12:57
L20	1	"6201829".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:23
L21	18	"5228042".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L22	8	"5802073".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L23	13	"5761216".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L24	6	"5732089".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L25	4	"6421801".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L26	18	"5761212".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L27	17	"4475210".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51

L28	69	"5483676".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L29	17	"4791404".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L30	160	(L21 or L22 or L23 or L24 or L25 or L26 or L27 or L28 or L29)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:51
L31	9	I30 and seed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 14:03
L32	6	("5228042" or "5202625" or "5416409" or "5423050" or "5473617" or "5717701").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 14:16
L33	3717	(714/715 or 714/716 or 714/30 or 714/744 or 714/712 or 714/704 or 714/738 or 714/745 or 375/221 or 370/249).cccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 14:18
L34	19	I33 and (((((((test\$3 or evaluat\$3 or calibrat\$3 or optimiz\$3).ab.) and circuit.ab.) and (pattern or random).ab.) and (transmit\$3 or receiv\$3).ab.) and @ad<"20010202") and compar\$4. ab.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 14:19
L35	0	I33 and (((((((test4 near pattern) or (repeat\$3 near pattern)) and (transmit\$4 or receiv\$4)) and @ad<"20010202") and (impedance near transmi\$5))	US-PGPUB; USPAT	OR	ON	2005/12/15 14:20
L36	0	I33 and (((((((((((test4 near pattern) near random) or (repeat\$3 near pattern)) and (transmit\$4 or receiv\$4)) and random) and @ad<"20010202") and (character\$6 or optimiz\$5 or evaluat\$3 or (resistance or impedance or termination))) and (impedance or resistance or termination)) and (termination or resistance or impedance).ab.)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:21
L37	0	I33 and ((serial/parallel and converter.ab.) and @ad<"20010202")	US-PGPUB; USPAT	OR	ON	2005/12/15 14:21

L38	32912	((communication and receive\$4) and transmit) and encode	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L39	21323	L38 and storage	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L40	11178	L39 and serial	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L41	519	L40 and (normal with test)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L42	468	L41 and parallel	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L43	126	L42 and (test adj mode)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L44	113	L43 and (transmit with data)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L45	42	L44 and modem	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L46	0	L33 and (L45 and (test with data))	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
L47	5	L3 and (repeat\$3 adj pattern).clm.	US-PGPUB; USPAT	OR	ON	2005/12/15 14:22
S25	87	(((((test\$3 or evaluate\$3 or calibrate\$3 or optimize\$3).ab.) and circuit.ab.) and (pattern or random).ab.) and (transmit\$3 or receive\$3).ab.) and @ad<"20010202") and compare\$4.ab.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 14:19
S26	14	"5228042".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:22
S27	3	"5802073".urpn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/12/15 13:50
S45	6	(((((test4 near pattern) or (repeat\$3 near pattern)) and (transmit\$4 or receive\$4)) and @ad<"20010202") and (impedance near transmit\$5)	US-PGPUB; USPAT	OR	ON	2005/12/15 14:20

S48	30	(((((test4 near pattern) near random) or (repeat\$3 near pattern)) and (transmit\$4 or receiv\$4)) and random) and @ad<"20010202") and (character\$6 or optimiz\$5 or evaluat\$3 or (resistance or impedance or termination))) and (impedance or resistance or termination)) and (termination or resistance or impedance).ab.	US-PGPUB; USPAT	OR	ON	2005/12/15 14:20
S28 5	1	"6671847".pn.	US-PGPUB; USPAT	OR	ON	2005/12/15 12:16
S28 6	518	zerbe-j\$.in. or chau-p\$.in. or stonecypher-w\$.in. or rambus.as.	US-PGPUB; USPAT	OR	ON	2005/12/14 17:20
S28 7	5	S286 and (repeat\$3 adj pattern). clm.	US-PGPUB; USPAT	OR	ON	2005/12/14 17:20